

NORTON & TRITON PERFORMANCE COMPONENTS

KIM MOLNAR STAINLESS
UNIT 9, ROMAN WAY, RIBBLETON, PRESTON, LANCs, PR2 5BB
PHONE 01772 700700 FAX 01772 705075
Web Site: www.kmstainless.co.uk Email: orders@kmstainless.co.uk

This list, No. 020, is VALID UNTIL 31.12.08 OR UNTIL THE ISSUE OF No. 021

<u>CODE</u>	<u>MANX® & 'ROADHOLDER' FORKS & FRONT WHEEL</u>	<u>PRICE .£</u>
NR046	Fork Stanchion Top Nut – Dural.....	6.80 ea
50150	Manx Steering Damper Assy. Incl. Wing Nut & Bottom Plate.....	48.00 ea
VP410LW	'Clip On' Handlebars – Lightweight Dural.....	76.00 pr
NR047	Fork Damper Rod – Dural.....	8.90 ea
VP034	Fork Damper Tube – Dural.....	18.40 ea
VP237	Fork Damper Tube Cap – Dural.....	7.10 ea
30584	Damper Valve Assy, (Inside Damper Tube).....	8.40 ea
NR052	Dural Wheel Nut - 20 tpi.....	3.50 ea
NR055	Fork Seal Holder for External Spring – Dural.....	11.50 ea
15312	Manx External Fork Springs – Stainless, available in 231mm length (standard) 217mm (short) 197mm (Seeley).....	30.00 pr
22908	1961 Manx Spec. Front Cowl ('Fly screen') Black Glass Fibre.....	25.00 ea
22907	Perspex Screen for Cowl.....	12.50 ea
22856	Top Mounting Bracket for Cowl with Recess for Manx Rev Counter	18.00 ea
22905	Lower, Side Brackets for Cowl, incl. Fasteners.....	25.00 set
19706	Manx Alloy Front Mudguard, State Painted Black or Polished.....	60.00 ea
19483	Manx Alloy Y Brackets for Front Guard – Polished.....	41.00 pr
19706C	Carbon Front Guard As Used on Our Race Bikes.....	42.00 ea

MANX® FRAME & FITTINGS

- - -	Rear Set Kit. Mounts on swing arm and includes: adapters, knurled footrests, alloy rollover gearlever, alloy brake pedal, stainless brake rod assy.....	220.00 set
18255	Manx rear wheel adjusters, Stainless.....	26.00 pr
22873	Manx Single Seat, Black Glass Fibre, State W/line or S/line.....	70.00 ea

<u>CODE</u>	<u>NORTON 'COMMANDO' FRONT FORKS & BRAKES</u>	<u>PRICE.£</u>
VP035	Fork Damper Tube – Dural.....	18.70 ea
VP237B	Fork Damper Tube Cap – Dural.....	6.50 ea
NR047B	Fork Damper Rod – Dural.....	8.90 ea
NR045	Fork Stanchion Top Nut – Dural.....	7.00 ea
NR065	Dural Adapter Plate to Attach 'Lockheed' Racing Calliper to Standard Fork and Disc.....	28.00 ea
NR053	Dural Wheel Nut - 18 tpi.....	3.40 ea

DURAL ENGINE PLATES

The following Engine Plates are offered, CNC machined for a perfect fit:

NR200	Norton Dominator 500/600/650/750 - Featherbed Frame.....	120.00 set
NR201	Norton OHV Single - Featherbed Frame.....	120.00 set
NR202	Triumph Pre Unit Engine & Gearbox - Featherbed Frame.....	120.00 set
NR203	Triumph Pre Unit Engine & Norton Gearbox - Featherbed Frame...	120.00 set
NR206	Norton Commando Engine, tilted - Featherbed Frame.....	120.00 set
NR207	Norton Commando Engine, vertical – Featherbed Frame.....	150.00 set
NR208	G50 Engine in Manx Frame.....	150.00 set

All our components are de greased after manufacturing and components such as wheel spindles and nuts, steering column nuts, fork top nuts, fork seal holders etc. must be lubricated with a copper bearing grease prior to fitting.

DELIVERY....We try to keep all parts in stock all the time, but this is not technically possible. We usually have about 98% stocks, these are always changing. All parts in stock are sent immediately, out of stock items are sent as they are made, this can take up to 3 months depending on our production schedule, so please plan ahead and order early.

TO ORDER....PLEASE USE THE ORDER FORM PROVIDED. State full machine details, check your arithmetic and that your address is legible. Do not use an out of date price list. If you ensure that your order is clear and correct we can despatch it more quickly. **PLEASE NOTE: most of our business is mail order and this makes us vulnerable to fraud, therefore our credit card clearing company will NOT allow us to take telephone orders. Orders by fax, post or email are all acceptable.**

Remember P&P costs: Under £60 + 10%, Minimum £2.00. Over £60 + 8%, Maximum £10.00.

Overseas charged at cost if paid by card, or add 25% on prepaid orders.

U.K. & E.C. CUSTOMERS MUST ADD VAT AT THE CURRENT RATE

ORDER ENQUIRIES.... If you have any problems with your order, if you are unhappy with our products or services, or if you just want to compliment us, we will be pleased to hear from you, all letters receive our personal attention, but if you need a reply to an enquiry you must send an SAE, alternatively you can phone on 01772 700700 or fax 01772 705075, email orders@kmstainless.co.uk Our office hours are 9.00am to 4.00 pm Monday to Friday, the ansaphone & fax are on at all other times, and of course email is 24/7.

PERSONAL CALLERS....This is an engineering shop & mail order operation, personal callers can only be accommodated by prior appointment.

STAINLESS STEEL PARTS - GENERAL STOCK LIST

KIM MOLNAR STAINLESS. UNIT 9 ROMAN WAY, RIBBLETON,
PRESTON, LANCS. PR2 5BB TELEPHONE 01772 700700 FAX 01772 705075
Web Site: www.kmstainless.co.uk Email: orders@kmstainless.co.uk

This list is NUMBER 43 VALID FROM 1ST JANUARY 2008 to 30TH JUNE 2008
OR UNTIL THE ISSUE OF NUMBER 44

Do NOT use this list after this date, either send an SAE for a new list,
or look up current prices on the web site.

We also have specialist lists for most makes of British motorcycles.
Either send an SAE stating make, model & year of manufacture or look up the list on the web site.

HEXAGON BOLTS

Those marked 'S' are fully threaded to the head, and are called hexagon set screws.

<u>BSF</u>	<u>PRICE .£</u>	<u>UNF</u>	<u>PRICE .£</u>	<u>CYCLE - 26tpi</u>	<u>PRICE .£</u>
1/4 x 1/2 S	0.55	1/4 x 1/2 S	0.30	1/4- Identical to BSF	
1/4 x 3/4 S	0.60	1/4 x 3/4 S	0.35	5/16 x 1/2 S#	1.35
1/4 x 1 S	0.65	1/4 x 1 S	0.40	5/16 x 1 S	1.35
1/4 x 1.1/4	0.90	1/4 x 1.1/4	0.45	5/16 x 1.1/2	1.50
1/4 x 1.1/2	0.95	1/4 x 1.1/2	0.65	5/16 x 2	1.65
1/4 x 1.3/4	1.05	1/4 x 2	0.70	5/16 x 2.1/2	2.25
1/4 x 2	1.20	5/16 x 3/4 S	0.50	5/16 x 3	2.55
1/4 x 3	1.50	5/16 x 1 S	0.55	5/16 x 3.3/4	2.75
5/16 x 1 S	1.20	5/16 x 1.1/4	0.60	3/8 x 7/8 #	2.15
5/16 x 1.1/4	1.30	5/16 x 1.1/2	0.65	3/8 x 1 S	2.15
5/16 x 1.1/2	1.40	5/16 x 1.1/2 S	0.70	3/8 x 1.1/2	2.90
5/16 x 1.3/4	1.45	5/16 x 1.3/4	0.75	3/8 x 1.3/4	2.90
5/16 x 2	1.50	5/16 x 2	0.75	3/8 x 2	2.90
5/16 x 2.1/4	1.60	5/16 x 2.1/4	0.90	3/8 x 2.1/2	3.30
5/16 x 2.1/2	1.65	5/16 x 2.1/2	0.90	3/8 x 3	3.30
5/16 x 2.3/4	1.70	5/16 x 3	1.10	3/8 x 3.1/4	3.50
5/16 x 3	1.75	5/16 x 4	2.90	3/8 x 3.3/8	4.05
5/16 x 3.3/4	2.50	5/16 x 4.1/4	3.40	3/8 x 3.3/4	4.05
3/8 x 1 S	1.30	5/16 x 4.1/2	3.60	3/8 x 3.7/8	4.05
		5/16 x 5	3.75	3/8 x 5.3/8	4.85
3/8 x 1.1/2	1.40	5/16 x 5.1/2	4.00	3/8 x 5.7/8	4.85
3/8 x 1.3/4	1.50	3/8 x 3/4 S	0.55		
3/8 x 2	1.55	3/8 x 1 S	0.60	BA	
3/8 x 2.1/4	1.75	3/8 x 1.1/4 S	0.70	2BA x 1/2 S	0.20
3/8 x 2.1/2	1.80	3/8 x 1.1/2	0.80	2BA x 3/4 S	0.25
3/8 x 2.3/4	2.00	3/8 x 1.3/4	0.95		
3/8 x 3	2.10	3/8 x 2	1.15	UNC	
3/8 x 4	2.65	3/8 x 2.1/4	1.25	1/4 x 2.1/4	0.40
7/16 x 1.3/8	2.90	3/8 x 2.1/2	1.30	1/4 x 3	0.55
		3/8 x 2.3/4	1.40	5/16 x 3/4 S	0.20
		3/8 x 3	1.40	5/16 x 1 S	0.25
		3/8 x 3.1/2	2.00	5/16 x 1.1/2 S	0.30
		3/8 x 4.1/4	3.40	5/16 x 1.3/4	0.35
		3/8 x 4.1/2	3.60	5/16 x 2.1/2 S	0.45
		3/8 x 4.3/4	3.75	5/16 x 3.1/4	0.65
		3/8 x 5.3/4	6.50		
		7/16 x 7/8 S	2.00		
		7/16 x 1.1/4	2.80	WHITWORTH	
		7/16 x 2.1/4	3.10	1/4 x 1/2 S	0.20
		7/16 x 3.1/2	4.00	1/4 x 3/4 S	0.20
		1/2 x 1.3/4	3.10	1/4 x 1 S	0.25
		1/2 x 2.1/2	4.00	1/4 x 1.1/2	0.25
				1/4 x 2	0.30
				5/16 x 1 S	0.30
<u>26 TPI DOMED BOLTS</u>					
For mudguard mountings Etc. Fully threaded.					
1/4 x 1 S	2.20				
5/16 x 1 S	2.65				
3/8 x 1 S	3.10				
				Note: UNC & Whitworth can be interchanged.	

SOCKET CAP ("ALLEN ") SCREWS

<u>BSF</u>	<u>PRICE .£</u>	<u>WHITWORTH(UNC)</u>	<u>PRICE .£</u>	<u>UNF</u>	<u>PRICE .£</u>
1/4 x 3/4 S	1.10	3/16 x 1/2 S	0.25	5/16 x 3/4 S	0.60
1/4 x 1 S	1.20	3/16 x 3/4 S	0.30	5/16 x 1 S	0.60
1/4 x 1.1/4 S	1.50	3/16 x 1 S	0.35	3/8 x 1.1/4 S	1.00
1/4 x 1.1/2	1.70	3/16 x 2	0.90		
1/4 x 2	1.90	1/4 x 1/2 S	0.35	<u>BA (British Association)</u>	
1/4 x 2.1/4	2.00	1/4 x 3/4 S	0.35	2BA x 3/8 S	0.65
1/4 x 2.1/2	2.10	1/4 x 1 S	0.35	2BA x 1/2 S	0.65
1/4 x 2.3/4	2.20	1/4 x 1.1/4 S	0.40	2BA x 5/8 S	0.65
5/16 x 3/4 S	1.30	1/4 x 1.1/2	0.45	2BA x 3/4 S	0.65
5/16 x 1 S	1.50	1/4 x 1.3/4	0.55	2BA x 1 S	0.75
5/16 x 2	2.00	1/4 x 2	0.60	2BA x 1.1/4	0.90
3/8 x 1 S	1.50	1/4 x 2.1/4	0.75	2BA x 1.1/2	0.95
		1/4 x 2.1/2	0.85	2BA x 2	1.35
		1/4 x 2.3/4	1.05		
		1/4 x 3	1.80	<u>COUNTERSUNK</u>	
		1/4 x 4.3/8	4.50	1/4UNC x 3/4 S	0.50
		1/4 x 5.3/8	6.00	1/4UNC x 1.3/4	0.90
		5/16 x 7/8 S	0.65	5/16UNF x 3/4 S	0.80
		5/16 x 1 S	0.65		
		5/16 x 2	1.05		
		3/8 x 1.3/4	0.95		

MACHINE SCREWS - SLOTTED - ALL FULLY THREADED

CHEESEHEAD

2BA x 1/2	0.20
2BA x 5/8	0.20
2BA x 3/4	0.20
2BA x 1	0.20
2BA x 2	0.35

3/16 Whit x 1/2	0.15
1/4 Whit x 3/4	0.35
1/4 Whit x 1	0.40
1/4 Whit x 1.1/4	0.55
1/4 Whit x 1.1/2	0.55
1/4 Whit x 2	0.75
1/4 Whit x 2.1/4	1.20
1/4 Whit x 2.1/2	1.40
1/4 Whit x 3	1.80
1/4 BSF x 3/4	0.50
1/4 BSF x 1	1.50
1/4 BSF x 1.1/2	1.70
1/4 BSF x 2	1.90

FILLISTER HEAD

1BA x 9/16 #	1.30
1BA x 7/8 #	1.40
3/16 Whit x 1/2	0.10
No 8 UNC x 3/8	0.10
No 10 UNC x 1/2	0.10

ROUND HEAD

3/16 Whit x 1	0.10
3/16 Whit x 2	0.15

PAN HEAD

No 6 UNC x 3/4	0.10
----------------	------

COUNTERSUNK

No 6 UNC x 3/8	0.10
1/4 Whit x 1	0.12

SELF TAPPING SCREWS

PAN HEAD

No 4 x 3/8	0.04
No 6 x 1/2	0.05
No 6 x 1.1/4	0.08
No 8 x 3/4	0.05
No 10 x 1	0.09

COUNTERSUNK

No 8 x 1/2	0.05
------------	------

If our stock range does not satisfy your requirements we can make any size of hexagon bolt or stud to order. This takes up to 8 weeks to fit into our production schedule. When ordering please give full details of: diameter, length; overall for stud, under head for bolts, thread type & thread length, head hex size & thickness for bolts. We cannot make special allen screws or slotted machine screws.

SPECIAL SINGLE DIAMETER BOLTS, DOUBLE DIAMETER STUDS, STUDS WITH DIFFERENT THREAD EACH END:

Cost £ 5.30 each, PLUS charge per inch:

SPECIAL STUDS, SINGLE DIAMETER, SAME THREAD EACH END: Cost £ 3.85 each, PLUS charge per inch:

1/4 diameter	= .30 per inch
5/16	= .40 per inch
3/8	= .50 per inch
7/16	= .65 per inch
1/2	= .90 per inch

Example: 5/16 x 4.1/2 bolt costs £ 5.30 + 5 x .40 = £ 7.30 each.

HEXAGON NUTS		PRICE .£	WASHERS		PRICE .£	SPRING WASHERS		PRICE .£
	<u>T.P.I.</u>		<u>PACK OF 10</u>			<u>PACK OF 10</u>		
4BA	38.5	0.04	3/16		0.25	3/16		0.25
2BA	31.4	0.05	1/4		0.25	1/4		0.35
1BA	28.2	0.50	5/16		0.35	5/16		0.45
1/4 BSF	26	0.25	3/8		0.45	3/8		0.55
5/16 BSF	22	0.30	7/16		0.65	7/16		0.75
3/8 BSF	20	0.35	1/2		0.85	1/2		0.95
7/16 BSF	18	1.20	<u>SPECIAL WASHERS</u> Inside dia x outside dia x thickness 3/16 x 1 x 1/16 0.15 1/4 x 1 x 1/16 0.15 5/16 x 9/16 x 3/32 0.55 5/16 x 1 x 1/16 0.15 3/8 x 5/8 x 3/32 0.55 3/8 x 3/4 x 1/16 0.20 3/8 x 1 x 1/16 0.15 7/16 x 11/16 x 3/32 0.60 9/16 x 1 x 1/16 0.20 5/8 x 1.1/8 x 1/16 0.20					
1/2 BSF	16	1.30						
9/16 BSF	16	1.50						
3/16 Whit	24	0.05						
1/4 Whit	20	0.10						
5/16 Whit	18	0.20						
3/8 Whit	16	0.30						
5/16 UNC	18	0.15						
3/8 UNC	16	0.20						
1/4 UNF	28	0.10						
5/16 UNF	24	0.15						
3/8 UNF	24	0.20						
7/16 UNF	20	0.55						
1/2 UNF	20	0.65						
5/16 Cycle	26	0.75						
3/8 Cycle	26	0.75						
7/16 Cycle	20	1.10						
7/16 Cycle	26	1.20						
1/2 Cycle	20	1.20						
1/2 Cycle	26	1.25						
9/16 Cycle	20	1.65						
9/16 Cycle	26	2.00						
5/8 Cycle	20	3.00						
11/16 Cycle	20	4.00						
3/4 Cycle	20	4.50						
7/8 Cycle	20	5.00						
<u>DOME NUTS</u>			<u>SMALL HEXAGON</u>			<u>THIN LOCK NUT</u>		
2BA		0.65	1/4 Cycle #		0.95	5/16 BSF		0.55
1/4 BSF		1.50	5/16 Cycle #		0.95	3/8 Cycle 26 tpi		0.85
5/16 BSF		1.90	3/8 Cycle #		0.95	7/16 Cycle 20 tpi		1.20
3/8 BSF		2.10	7/16 Cycle 20 tpi #		1.05	1/2 Cycle 26 tpi		1.30
1/4 UNF		0.85	5/8 Cycle 20 tpi #		1.80	5/8 Cycle 20 tpi		2.10
5/16 UNF		0.95	3/8 UNF#		1.00	3/4 Cycle 20 tpi		3.40
3/8 UNF		1.10	7/16 UNF#		1.20			
5/16 Cycle		1.90	<u>SELF LOCKING NUTS</u>			<u>PETROL TAP NUTS</u>		
3/8 Cycle		2.10	2BA		0.60	1/4 BSP thread		2.20
7/16 Cycle 20 tpi		3.00	1/4 BSF		1.00	5/16 Whit spanner		
7/16 Cycle 26 tpi		3.00	5/16 BSF		1.10	size.		
3/8 Whit		0.80	3/8 BSF		1.20	<u>SPLIT PINS</u>		
3/8 UNC		0.80	1/4 UNF		0.35	1/16 dia x 1/2		.05
			5/16 UNF		0.45	1/16 dia x 1.1/2		.10
			3/8 UNF		0.55	3/32 dia x 3/4		.05
			7/16 UNF		0.90	3/32 dia x 1.1/4		.10
			1/2 UNF		0.90	1/8 dia x 2.1/4		.20
			5/8 UNF		2.00			
			5/16 Cycle		1.30			
			3/8 Cycle		1.65			
<u>JUBILEE CLIPS</u>			<u>CLEVIS PINS</u>					
To fit hose sizes:			Length measured under head to hole					
3/8 - 1/2	(9-13mm)		1/4 dia x 9/16		1.85			
1/2 - 3/4	(13-19mm)	1.70	1/4 dia x 1.1/16		1.85			
3/4 - 1	(19-25mm)	1.70						
1 - 1.3/8	(25-35mm)	1.80						
1.1/4 - 1.7/8	(32-48mm)	1.90						
1.1/2 - 2.1/8	(38-54mm)	2.00						
2 - 2.3/4	(50-70mm)	2.10						

DESCRIPTION**PRICE.£****SCREW PITCH GAUGE**

Identify threads per inch (t.p.i.) with ease. 52 leaves covering metric and imperial threads. Includes instructions and thread chart. Order code T12 6.30 ea

BRAKE RODS & FITTINGS

We will make any type of brake rod to special order, the following prices are for 1/4 dia 26 tpi or 28 tpi rods only, other sizes by quotation. You must state length & thread lengths required.

Type 1 straight rod, threaded both ends	8.60 ea
Type 2 rod with right angle bend at front end, threaded at rear end	9.80 ea
Clevis (fork end) for type 1 rods 26tpi	10.80 ea
Clevis (fork end) for type 1 rods 28tpi (UNF)	11.90 ea
Hexagon adjuster nut, state 26tpi or 28tpi	6.05 ea
Knurled round adjuster, 26tpi only	6.60 ea
Brake rod spring	2.75 ea
Brake rod trunnion, state 7/16" or 1/2" diameter	2.75 ea

GIRLING SPRING COVERS

Bottom, short to fit close to spring, mirror polished (2 reqd)	17.60 ea*
Top, long, fits over bottom cover, mirror polished, 5" long (2 reqd)	19.80 ea*
Top, as above, stove enamelled black on stainless, 5" long (2 reqd)	19.80 ea
Top retaining collets, set of 4	6.60 set

AMAL PARTS

Lever pivot screw with plain nut, state whether BSF or UNF	1.85 ea
Lever pivot screw with selflock nut, state whether BSF or UNF	2.50 ea
Clutch & brake lever clamp screws Amal part no 11/014	1.30 ea
Twist grip clamp screws Amal part no 11/013	1.40 ea
Monobloc float chamber screws (3)	0.90 set
Monobloc extended float chamber long screws (3)	1.20 set
Monobloc petrol feed banjo bolt	1.95 ea
Concentric float chamber & top allen screws & spring washers MkI (4)	2.90 set
As above for MkII carb (4)	2.90 set
Concentric petrol feed banjo bolt	3.30 ea

SPEEDO & REV COUNTER BEZELS

Screw on type for Smiths 'chronometric', made in top quality chromed brass. State if flanged (headlamp mounted instruments), plain (bracket mounted instruments), or special flange (Triumph Nacelle only) 11.60 ea

TAX DISC HOLDER

6.00 ea

EXHAUST PIPE / SILENCER CLAMPS

These are mirror polished, and include the clamp bolt & nut 7.25 ea*
 You must specify PIPE outside dia, NOT silencer, and BSF, UNF or metric bolt
 Stock sizes are to fit pipe O.D.: 1.1/4, 1.3/8, 1.1/2, 1.5/8, 1.3/4, 2"

HANDLEBARS

We stock a range of 7/8" dia polished stainless steel handlebars from Norton/Vincent flats to T140 export style, prices from £31.50. Please see the relevant catalogue for details. Sorry, we cannot make one off handlebars to samples.

LUBRICANTS

We use and thoroughly recommend Morris Lubricants for all our road and race bikes.

MLR40	Castor oil. The only engine oil for Manx, G50 & 7R – 5 litre can	23.00 ea
Elite 40	Monograde. Ideal for Classic road bikes – 5 litre can	11.50 ea
Race gear oil	75 weight fully synthetic, low drag – 1 litre bottle	6.00 ea
MLR chain lube	Brilliant stuff! Clear aerosol, pongs a bit but sticks like the proverbial – 200ml aerosol	3.00 ea

Because of the weight engine oil has to be sent by overnight carrier and the cost is £10.00 within the UK, overseas by courier at cost. Any additional items ordered at the same time as oil will be sent free of carriage costs.

Items on the list marked * are polished, the remainder come with a bright natural finish. Items marked # are made from a smaller than standard hexagon size, this improves spanner access in certain locations. All our imperial fasteners have faced heads, i.e. all lettering is removed.

TO ORDER.... PLEASE USE THE ORDER FORM PROVIDED. State full machine details, check your arithmetic and that the address is legible. Do not use an out of date price list. If you ensure that your order is clear and correct we can despatch it quickly. **PLEASE NOTE: most of our business is mail order and this makes us vulnerable to fraud, therefore our credit card clearing company will NOT allow us to take telephone orders. Orders by fax, post or email are all acceptable.**

Remember P&P costs: Under £60 + 10%, Minimum £2.00. Over £60 + 8%, Maximum £10.
Overseas charged at cost if paid by card, or add 25% on prepaid orders.
U.K. & E.C. CUSTOMERS MUST ADD VAT AT THE CURRENT RATE

DELIVERY.... We try and maintain 100% stocks of all these standard fasteners, very occasionally some of the less common sizes can be out of stock. All parts in stock are sent immediately, please allow 21 days from sending your order. Out of stock items are sent as they are made. This can take up to 6 weeks, depending on our production schedule, so please plan ahead and order early.

ORDER ENQUIRIES.... If you have any problems with your order, if you are unhappy with our products or services, or if you just want to compliment us, we will be pleased to hear from you, all letters receive our personal attention, but if you need a reply to an enquiry you must send an SAE, alternatively you can phone on 01772 700700, fax 01772 705075, email orders@kmstainless.co.uk Our office hours are 9.00am to 4.00 pm Monday to Friday, the ansaphone & fax are on at all other times, and of course email is 24/7.

PERSONAL CALLERS.... This is an engineering shop & mail order operation, personal callers can only be accommodated by prior appointment.

DIRECTIONS.... FROM THE SOUTH: Junction 31A M6.

Follow the signs for Roman Way Industrial Estate / Longridge. After three roundabouts you will pass the Crematorium on your right, take the next right into Roman Way Employment Centre. Take the first left and follow the road round to Unit 9. Go past to the end of the row & turn left into the car park. Park here and use the pedestrian access to the rear of the unit.
FROM THE NORTH: Go to Junction 31 M6, turn round and come back north to Junction 31A then follow directions above.

Please do not enter through the workshop. It is a busy place and can be dangerous; we do not want to injure our customers!

METRIC RANGE

All the items on this page are ISO metric coarse thread, which is used on all European and Oriental machines, up to M8 sizes. M10 and above is usually 1.25mm or 1.5mm pitch on automotive applications, which is metric fine. Metric fine hexagon bolts can be made to order, see page 2 of this list for pricing information.

HEXAGON BOLTS

Those marked 'S' are fully threaded to the head and are called hexagon set screws.

	<u>PRICE .£</u>		<u>PRICE .£</u>		<u>PRICE .£</u>
M5 x 12 S	0.20	M8 x 16 S	0.25	M10 x 25 S	0.40
M6 x 12 S	0.20	M8 x 20 S	0.25	M10 x 30	0.45
M6 x 16 S	0.20	M8 x 25 S	0.30	M10 x 40	0.50
M6 x 20 S	0.20	M8 x 30	0.30	M10 x 45	0.55
M6 x 25 S	0.25	M8 x 35	0.35	M10 x 50	0.60
M6 x 30	0.25	M8 x 40	0.35	M10 x 60	0.65
M6 x 35	0.25			M10 x 80	0.90
M6 x 40	0.30	M8 x 50	0.40	M10 x 90	1.05
M6 x 50	0.30	M8 x 60	0.50	M10 x 100	1.15
		M8 x 70	0.55	M10 x 110	1.25
		M8 x 80	0.55	M10 x 120	1.35
		M8 x 90	0.75	M12 x 50	0.95
		M8 x 100	0.95	M12 x 80	1.25
		M8 x 110	1.00	M12 x 170	1.95
		M8 x 120	1.45	M12 x 280	4.50
				M16 x 40	1.30

SOCKET CAP ("ALLEN ") SCREWS

M4 x 12 S	0.20	M6 x 12 S	0.25	M8 x 20 S	0.40
M4 x 20 S	0.25	M6 x 16 S	0.25	M8 x 30 S	0.60
M5 x 10 S	0.20	M6 x 20 S	0.30	M8 x 40	0.70
M5 x 12 S	0.20	M6 x 25 S	0.30	M8 x 50	0.80
M5 x 16 S	0.25	M6 x 30	0.35	M8 x 65	0.90
M5 x 20 S	0.25	M6 x 35	0.35	M8 x 75	1.00
M5 x 25 S	0.25	M6 x 40	0.45	M8 x 100	1.20
M5 x 30	0.35	M6x 45	0.50	M8 x 110	1.30
M5 x 35	0.35	M6 x 50	0.55		
M5 x 40	0.40	M6 x 55	0.85	<u>COUNTERSUNK</u>	
		M6 x 60	0.90	M6 x 16 S	0.35
		M6 x 70	1.00	M6 x 20 S	0.40
		M6 x 80	1.15	M6 x 25 S	0.45
		M6 x 90	1.35	M6 x 35 S	0.45
		M6 x 100	1.55	M6 x 40	0.50
				M8 x 25 S	0.45

PANHEAD SLOTTED SCREWS

M5 x 16	0.15
M6 x 12	0.15
M6 x 16	0.20
M6 x 20	0.20

HEXAGON NUTS

M4	0.05
M5	0.05
M6	0.10
M8	0.10
M10	0.15
M12	0.20
M14	0.35
M16	0.45

DOME NUTS

M5	0.40
M6	0.50
M8	0.70
M10	0.80

NYLOC NUTS

M5	0.20
M6	0.25
M8	0.30
M10	0.45
M12	0.55
M14	0.75
M16	0.80

WASHERS

PACK OF 10

M4	0.20
M5	0.25
M6	0.25
M8	0.35
M10	0.55
M12	0.85
M16	1.05

SPRING WASHERS

PACK OF 10

M5	0.25
M6	0.30
M8	0.45
M10	0.65
M12	0.85
M14	0.95

SPECIAL WASHERS

EACH

I.D. x O.D. x Thickness

M6 x 25 x 1.6	0.15
M8 x 30 x 1.6	0.15

METRIC FINE ITEMS

M10 x 1.25 x 25 S	1.50
M10 x 1.25 x 50	2.20
M10 x 1.25 x 80	2.60
M14 x 1.5 x 155	6.00

M10 x 1 Nut	1.40
M10 x 1.25 Nut	1.40
M12 x 1 Thin Nut	1.50
M14 x 1.5 Thin Nut	2.00

